

# THE R/NGE

RESIDENTIAL & COMMERCIAL







# RESIDENTIAL



## MZ RAMBLER

### DON'T LET ITS SIZE FOOL YOU, IT'S ALL BAD BOY

THE ALL NEW



- Dual hydro gear ZT 2200 drive systems
- 26 hp twin cylinder Kohler engine
- Heavy-gauge, all-steel, all-welded 50x50mm frame
- 7.9mm steel front forks
- Industry leading 7-gauge/4.5mm fabricated deck with reinforced edges
- PEER, maintenance-free spindles
- Deck lift pedal with deck dial adjustment
- Seat lifts for easy maintenance and cleaning
- Electric PTO
- Comfort seat

### A "TOO MUCH FUN TO CALL IT WORK" RIDE



### DOESN'T SKIMP ON COMFORT AND CONTROL.

The cushioned seat adjusts front to back and the steering is tighter and smoother with our steering dampening system for better response and maneuverability. The adjustable, left or right side deck lift pedal allows you to easily dial in a deck height for a perfect cut time and time again. The large capacity fuel tanks also allow for plenty of deep storage and a cup holder. There's easy access to all pulleys and drive belts with the flip-up floorboard — with rubber mat — being a first for its class.

### 42" DECK

### **ENGINE**

Kohler Twin Cylinder 26hp

### **TRANSMISSION**

Dual Hydro Gear ZT2200

### **DIMENSIONS**

CUTTING WIDTH
42 inch / 1066mm

WEIGHT 287kg

OVERALL HEIGHT/LENGTH
1066mm / 1930mm

CHUTE UP/DOWN WIDTH 1193mm / 1473mm

RRP \$7,999 INC GST

### **FEATURES**

**DECK THICKNESS** 

7 Gauge / 4.5mm

CUTTING HEIGHT

38mm to 114mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES

18x8.5-8 Turf / 11x4-5

**FUEL** 

18.92L

MOWER SPEED

Up to 9.66km/h





# MZ M/GNUM

# EASY TO HANDLE AND EVEN EASIER TO OWN



- Dual ZT-2200 EZT Integrated Drive Systems
- Heavy-Gauge, All-Steel, All-Welded Frame
- 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat

### DON'T LET THE PRICE FOOL YOU, THE MZ MAGNUM IS BUILT TO LAST



### DOESN'T SKIMP ON COMFORT AND CONTROL

The cushioned seat adjusts front to back and steering is tighter and smoother with our steering dampening system for better response and maneuverability. The adjustable, left or right side deck lift pedal allows you to easily dial in a deck height for a perfect cut time and time again. The large capacity fuel tanks also allow for plenty of deep storage and a cup holder. There's easy access to all pulley and drive belts with the flip-up floorboard — with rubber mat — being a first for its class.

### 48" DECK

### **ENGINE**

Kohler KT740 725cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear ZT2200 EZT Integrated Unit

### **DIMENSIONS**

CUTTING WIDTH 48 inch / 1220mm

WEIGHT **299kg** 

OVERALL HEIGHT/LENGTH
1220mm / 1930mm

CHUTE UP/DOWN WIDTH 1372mm / 1550mm

RRP **\$9,250** INC GST

### 54" DECK

### **ENGINE**

Kohler KT740 725cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear ZT2200 EZT Integrated Unit

### **DIMENSIONS**

CUTTING WIDTH 54 inch / 1372mm

WEIGHT 312kg

OVERALL HEIGHT/LENGTH
1220mm / 1930mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

RRP \$9,750 INC GST

### **FEATURES**

DECK THICKNESS

7 Gauge / 4.5mm

CUTTING HEIGHT 38mm to 114mm

Foot - assist manual lift with

dial height adjustment

REAR TYRES / FRONT TYRES 18x9.5-8 Turf / 11x6-5

FUEL **18.92L** 

MOWER SPEED Up to 9.65km/h





### ZT /VENGER

### BE THE SUPERHERO OF YOUR YARD



- Dual Hydro-Gear 2800 Series Integrated Drive Systems
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat

### THERE'S VALUE ALL AROUND IN THE NEWEST ADDITION TO OUR ZT FAMILY



### BUILT STRONG WITH NO SACRIFICES.

Built on a strong 50x50mm all steel rail frame for its backbone. We add 9.5mm steel front forks — a Bad Boy construction hallmark — and a solid steel, all-welded deck. Formed from tough 7-gauge/4.5mm steel with reinforced edges, the unique baffling system maximises airflow for greater grass lift and a cleaner cut. And it all rides on a lower centre of gravity for better traction. Accessibility and being simple to clean and maintain comes standard. In fact, we simply make owning a Bad Boy as easy as driving one — without sacrificing a single ounce of performance or cut quality.

### 54" DECK

### **ENGINE**

Kohler KT740 725cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear 2800

### **DIMENSIONS**

CUTTING WIDTH 54 inch / 1372mm

WEIGHT 338kg

OVERALL HEIGHT/LENGTH
1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

RRP \$10,699 INC GST

### 60" DECK

### ENGINE

Kohler KT740 725cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear 2800

#### **DIMENSIONS**

CUTTING WIDTH 60 inch / 1524mm

WEIGHT 346kg

OVERALL HEIGHT/LENGTH
1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mmm

RRP \$11,250 INC GST

### **FEATURES**

**DECK THICKNESS** 

7 Gauge / 4.5mm

**CUTTING HEIGHT** 

38mm to 114mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES 20x12-10 Turf / 12x6-6

FUEL **24.6L** 

MOWER SPEED Up to 11.26km/h





THE ALL NEW

## ZT ELITE

# OUR MOST POPULAR MOWER MADE EVEN BETTER



- Dual Hydro-Gear 3100 Series Integrated Drive Systems
- Patented Independent Front Suspension
- Heavy-Gauge, All-Steel, All-Welded Frame
- 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges

- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Electric PTO
- Comfort Seat

### THE INDUSTRY STANDARD FOR ZERO TURN MOWERS



### MADE STRONG FOR THE DEMANDING HOMEOWNER.

Built and priced to own the demanding residential landowner market, the ZT Elite features strong 50x50mm all steel rail frame for its backbone. 9.5mm steel front forks are a Bad Boy construction hallmark, as is the solid steel, all-welded deck. Formed from tough 7-gauge/4.5mm steel with reinforced edges, the unique baffling system maximises airflow for greater grass lift and a cleaner cut. And it all rides on a lower centre of gravity for better traction.

### 48" DECK

### **ENGINE**Kohler KT740 726cc 25 hp

TRANSMISSION

Dual Hydro Gear 3100

### **DIMENSIONS**

CUTTING WIDTH 48 inch / 1219mm

WEIGHT 368kg

OVERALL HEIGHT/LENGTH 1168mm / 1892mm

CHUTE UP/DOWN WIDTH
1371mm / 1549mm

REAR TYRES/FRONT TYRES 22x10-10 Turf / 13x6-6

RRP \$12,999 INC GST

### 54" DECK

## ENGINE Kohler KT745 747cc 26 hp TRANSMISSION

Dual Hydro Gear 3100

### **DIMENSIONS**

CUTTING WIDTH 54 inch / 1372mm

WEIGHT 380kg

OVERALL HEIGHT/LENGTH
1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

REAR TYRES/FRONT TYRES 22x11-10 Turf / 13x6-6

RRP \$13,695 INC GST

### 60" DECK

### ENGINE

Kohler KT745 747cc 26 hp

**TRANSMISSION** 

Dual Hydro Gear 3100

### **DIMENSIONS**

CUTTING WIDTH 60 inch / 1524mm

WEIGHT **392kg** 

OVERALL HEIGHT/LENGTH
1168mm / 1892mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

REAR TYRES/FRONT TYRES

22x11-10 Turf / 13x6-6

RRP \$14,295 INC GST

### **FEATURES**

DECK THICKNESS

7 Gauge / 4.5mm

CUTTING HEIGHT 38mm to 114mm

#### LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

FUEL **24.6L** 

MOWER SPEED Up to 11.26km/h





### THE ALL NEW

# MAVERICK

### CUTS LIKE A CHAMP, CONTROLS LIKE A PRO



- Dual Hydro-Gear 3200 Series Integrated Drive Systems
- Patented EZ-Ride® System
- Patented Independent Front Suspension
- I-Beam Front Rails
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm Steel Front Forks
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Adjustable Steering Arms
- Electric PTO
- Comfort Seat

### ANOTHER SMOOTH MOVE IN BAD BOY INNOVATION FIRSTS



### COMMERCIAL-GRADE FOR THE HOMEOWNER.

Built and outfitted commercial-grade tough, but priced perfect for the demanding landowner, the Maverick features strong 50x50mm all steel rail frame for its backbone. The 12.7mm steel front forks are a Bad Boy construction hallmark, as is the solid steel, all-welded and formed deck. Formed from tough 7-gauge/4.5mm steel with reinforced edges, we've improved the baffling system to maximise greater grass lift for a cleaner cut.

From the comfort of the premium seat, you'll have smoother steering and tighter, more precise control with our steering dampening system, giving you better responsiveness and maneuverability. The adjustable handles and front-to-back seat adjustments makes the Maverick a perfect fit for any operator. With our adjustable, left or right side deck lift pedal, you can easily dial in the perfect deck height for a perfect cut time and time again.

### 54" DECK

### **ENGINE**

Kohler ZT740 747cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear 3200

### SUSPENSION

E-Z Ride® Patented Compression Rear Suspension with Independent Front Suspension Rails

### **DIMENSIONS**

CUTTING WIDTH 54 inch / 1372mm

WEIGHT

456kg

OVERALL HEIGHT/LENGTH
1193mm / 2032mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

RRP \$16,500 INC GST

### 60" DECK

**ENGINE**Kohler ZT740 747cc 25 hp

### **TRANSMISSION**

Dual Hydro Gear 3200

### **SUSPENSION**

E-Z Ride® Patented Compression Rear Suspension with Independent Front Suspension Rails

### DIMENSIONS

CUTTING WIDTH 60 inch / 1524mm

WEIGHT

468kg

OVERALL HEIGHT/LENGTH
1193mm / 2032mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mm

RRP \$16,998 INC GST

### **FEATURES**

DECK THICKNESS

7 Gauge / 4.5mm

**CUTTING HEIGHT** 

38mm to 114mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES

23x11-12 Turf / 13x6.5-6

FUEL **24.60L** 

MOWER SPEED

Up to 14.48km/h







# COMMERCIAL



## M/VERICK HD

# WE'VE KICKED THE MAVERICK UP A NOTCH



- Dual Hydro-Gear 3400 Series Commercial-Grade Integrated Drive Systems
- Patented EZ-Ride® System
- Patented Independent Front Suspension
- I-Beam Front Rails
- 7-Gauge/4.5mm All Steel, Formed and Welded Deck with Reinforced Edges
- Heavy-Gauge, All-Steel, All-Welded Frame
- Industry-Leading 9.5mm Steel Front Forks
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Seat Lifts for Easy Maintenance and Cleaning
- Premium Adjustable Suspension Seat
- No-Flat Front Tyres Front

- Adjustable Steering Arms
- Electric PTO
- Striping Kit

### PRO PERFORMANCE THAT GOES ANYWHERE



### STRENGTH TO GO ANYWHERE YOU NEED

Heavy-gauge, all-steel, all-welded and fabricated 50x50mm frame rail provides the backbone for the commercial duty Maverick HD. Patented Dual Deck Support Isolators helps minimise damage from side impacts. The solid steel, 4.5mm formed and welded deck with reinforced 9.5mm sides features an improved baffling system that provides greater grass lifting power for an even cleaner cut. And all of this is packed on a lower profile frame that improves stability on inclines and uneven turf.

### COMPACT TO FIT WHERE OTHERS CAN'T

Smoother steering and tighter, more precise controls start with our steering dampening system. Even the steering arms are adjustable for an exact operator fit. Our premium Suspension Seat with padded arm rests is fully adjustable and cushioned with side and upper back support for day long performance comfort. Our unique Deck Lift Pedal can be changed to either side and allows the deck to be locked in place with a quick twist of our Deck Lift Dial. With our nimble 48" deck option it may be our most compact zero-turn, but it's still big on classic Bad Boy performance

### 48" DECK

### **ENGINE**

Kohler ECV749 747cc EFI 26.5 hp

### **TRANSMISSION**Dual Hydro Gear 3400

#### DIMENSIONS

**CUTTING WIDTH** 48 inch / 1219mm

> WEIGHT 464kg

OVERALL HEIGHT/LENGTH 1244mm / 2032mm

CHUTE UP/DOWN WIDTH 1371mm / 1549mm

REAR TYRES / FRONT TYRES 23x9-12 Reaper / 13x6.5-6 Smooth

RRP **\$18,494** INC GST

### 54" DECK

### ENGINE

Kohler ECV749 747cc EFI 26.5 hp

### **TRANSMISSION**

Dual Hydro Gear 3400

### DIMENSIONS

**CUTTING WIDTH** 54 inch / 1372mm

> WEIGHT 475kg

OVERALL HEIGHT/LENGTH 1244mm / 2032mm

CHUTE UP/DOWN WIDTH 1473mm / 1702mm

REAR TYRES / FRONT TYRES 23x11-12 Reaper / 13x6.5-6 Smooth

RRP \$18,995 INC GST

### 60" DECK

### **ENGINE** Kohler ECV749 747cc EFI 26.5 hp

**TRANSMISSION** Dual Hydro Gear 3400

### **DIMENSIONS**

**CUTTING WIDTH** 60 inch / 1524mm

> WEIGHT 486kg

OVERALL HEIGHT/LENGTH 1244mm / 2032mm

CHUTE UP/DOWN WIDTH 1625mm / 1854mm

REAR TYRES / FRONT TYRES 23x11-12 Reaper / 13x6.5-6 Smooth

RRP \$19,494 INC GST

### **FEATURES**

**DECK THICKNESS** 7 Gauge / 4.5mm

**CUTTING HEIGHT** 38mm to 114mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

> **FUEL** 24.60L

MOWER SPEED Up to 14.48km/h





# 

# BREAKING EVERY RULE TO GIVE YOU BETTER VALUE

Built on the legacy of classic Bad Boy Mower performance and strength, the Outlaw Rebel Zero Turn Mower shares the same big-performance platform as our other Outlaw Series mowers.

Featuring large integrated drive systems available across two deck sizes.

The Rebel Commercial Zero Turn Mower is the perfect mix of giddy up power that professionals demand — with a price still reined in for a value homeowners and large landowners have come to expect from Bad Boy Mowers.



- NEW Updated Tank Styling
- Dual Hydro-Gear® 4400 Series
   High-Performance Integrated Drive Systems
- Heavy-Duty Cast I-Beam Rails
- Heavy-Gauge, All-Steel, All-Welded Frame
- Patented Dual Deck Support Isolators
- Sloped 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Premium Adjustable Suspension Seat
- Rear Deck Striping Kit

- Exclusive Reaper® Rear Tyres
- Adjustable Footrest
- No-Flat Front Tyres
- Electric PTO

### BRED WITH POWER AND STRENGTH FOR PURE CUTTING PERFORMANCE



### STRENGTH TO MAKE IT LOOK EASY.

Heavy-gauge, all-steel, all-welded and fabricated  $38 \times 76 \text{mm}$  frame rail provides the backbone for years of durable service. Patented Dual Deck Support Isolators, with deck wear pad, helps minimise damage from side impacts. The sloped 6mm deck with reinforced 9.5mm sides features Deck Idler Arm and Spring with bearings for consistent tension and cutting speed. The PEER maintenance-free, internally lubricated spindles are made from strong ductile iron.

### COMFORT TO MAKE IT FEEL EASY.

Adjusts in more ways for complete operator control and comfort. The Adjustable Footrest — a Bad Boy innovation — and with front to back seat movement, adjusts for the perfect seating posture. Even the steering arms are adjustable and tension controllable. Our unique Deck Lift Pedal can be changed to either side and locked in place with a quick twist of our Deck Lift Dial.

### 61" DECK

### **ENGINE**

Kawasaki EVO781 822cc EFI 31 hp

### **TRANSMISSION**

4400 Dual Hydro Gear 16cc Integrated Transaxle

#### **DIMENSIONS**

CUTTING WIDTH 61 inch / 1529mm

WEIGHT **627kg** 

OVERALL HEIGHT/LENGTH
1270mm / 2336mm

CHUTE UP/DOWN WIDTH
1612mm / 1917mm

RRP \$23,045 INC GST

### 72" DECK

### **ENGINE**

Kawasaki EVO820 822cc EFI 35 hp

### TRANSMISSION

4400 Dual Hydro Gear 16cc Integrated Transaxle

#### **DIMENSIONS**

CUTTING WIDTH 72 inch / 1828mm

WEIGHT

643kg

OVERALL HEIGHT/LENGTH
1270mm / 2336mm

CHUTE UP/DOWN WIDTH 1892mm / 2197mm

RRP \$23,894 INC GST

### **FEATURES**

DECK THICKNESS

3 Gauge / 6mm

CUTTING HEIGHT **25mm** to **127mm** 

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES 24x12-12 Reaper / 13x6.5-6 Smooth

FUEL **49.21L** 

MOWER SPEED Up to 19.31km/h





# 

# A BETTER MOWER WITH A BETTER CUT



- NEW Updated Tank Styling
- Dual 16cc Hydro-Gear Pumps
- Dual 18ci Parker Wheel Motors
- Patented 3-Link Rear Trailing Arm Suspension
- Patented Independent Front Suspension
- Heavy-Duty Cast I-Beam Rails
- 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- Heavy-Gauge, All-Steel, All-Welded Frame Rear Deck Striping Kit
- Patented Dual Deck Support Isolators
- Deck Lift Pedal with Deck Dial Adjustment
- Premium Adjustable Suspension Seat
- PEER, Maintenance-Free Spindles

- Exclusive Reaper® Rear Tyres
- Adjustable Footrest
- No-Flat Front Tyres

### **POWER TO MOW ALL DAY**



### BUILT TO HANDLE THE TOUGHEST CONDITIONS

Heavy-gauge, all-steel, all-welded and fabricated 38x76mm frame rail provides the backbone for years of durable service. Patented Dual Deck Support Isolators, with deck wear pad, helps minimise damage from side impacts. The sloped 6mm deck with reinforced 9.5mm sides features Deck Idler Arm and Spring with bearings for consistent tension and cutting speed. The PEER maintenance-free, internally lubricated spindles are made from strong ductile iron.

### 61" DECK

### **ENGINE**

Kawasaki FX1000 999cc EFI 38.5 hp

### TRANSMISSION

Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors

### SUSPENSION

Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

#### **DIMENSIONS**

CUTTING WIDTH 61 inch / 1529mm

WEIGHT

697kg

OVERALL HEIGHT/LENGTH
1346mm / 2336mm

CHUTE UP/DOWN WIDTH 1612mm / 1917mm

RRP \$27,775 INC GST

### 72" DECK

#### **ENGINE**

Kawasaki FX1000 999cc EFI 38.5 hp

### TRANSMISSION

Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors

### SUSPENSION

Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

#### **DIMENSIONS**

CUTTING WIDTH

72 inch / 1828mm

WEIGHT

723kg

OVERALL HEIGHT/LENGTH
1346mm / 2336mm

CHUTE UP/DOWN WIDTH 1892mm / 2197mm

RRP \$28,380 INC GST

### **FEATURES**

DECK THICKNESS

3 Gauge / 6mm

**CUTTING HEIGHT** 

50mm to 152mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES

26x12-12 Reaper / 15x6-6 Smooth

FUEL

49.21L

MOWER SPEED

Up to 20.92km/h





# 

### A BEAST OF A PERFORMANCE MACHINE



- NEW Updated Tank Styling
- Dual 16cc Hydro-Gear Pumps
- Dual 18ci Parker Wheel Motors
- Patented 3-Link Rear Trailing Arm Suspension ■
- Patented Independent Front Suspension
- Heavy-Duty Cast I-Beam Rails
- Sloped 3-Gauge/6mm Deck with Reinforced 9.5mm Sides
- Heavy-Gauge, All-Steel, All-Welded Frame
- Dual Pump Belt System with Tensioner Design
- Patented Dual Deck Support Isolators
- PEER, Maintenance-Free Spindles
- Deck Lift Pedal with Deck Dial Adjustment
- Premium Adjustable Suspension Seat
- Exclusive Reaper® Rear Tyres
- Adjustable Foot Rest
- Rear Deck Striping Kit
- No-Flat Front Tyres

### INNOVATION FRONT AND CENTRE



### THE POWER TO KEEP YOU MOWING ALL DAY

Heavy-gauge, all-steel, all-welded fabricated 38 x 76mm frame rail provides the backbone for years of durable service. Exclusive automotive inspired dual pump belt system with tensioner design evenly distributes load from the crankshaft between pump drives and deck belts, significantly improving belt life.

Patented Dual Deck Support Isolators, with deck wear pad, helps minimise damage from side impacts. The sloped 6mm deck with reinforced 9.5mm sides features Deck Idler Arm and Spring with bearings for consistent tension and cutting speed. The PEER maintenance-free, internally lubricated spindles are made from strong ductile iron. Features larger sized, no-flat front tyres and our exclusive Reaper® rear tyres for maximum grip and traction.

### THE COMFORT SO YOU WON'T WANT TO STOP

Adjusts in more ways for complete operator control and comfort. The Adjustable Footrest — a Bad Boy innovation — and with front to back seat movement, adjusts for the perfect sitting posture. Even the steering arms are adjustable and tension controllable. Our unique Deck Lift Pedal can be changed to either side and locked in place with a quick twist of our Deck Lift Dial. Suspension Seat is fully adjustable to operator weight and height with variable rate suspension, lumbar support and back adjustments from 5° to 15°.

### 61" DECK

Perkin 1100cc Diesel 24.7 hp

TRANSMISSION
Hydro-Gear® 16cc Pump; Parker® 18ci Wheel Motors

**SUSPENSION**Patented 3-Link Rear Trailing Arm Suspension with Patented Front Independent Suspension

### DIMENSIONS

**CUTTING WIDTH** 61 inch / 1529mm

WEIGHT

844kg

OVERALL HEIGHT/LENGTH 1295mm / 2311mm

CHUTE UP/DOWN WIDTH 1612mm / 1917mm

RRP \$36,800 INC GST

### **FEATURES**

**DECK THICKNESS** 

3 Gauge / 6mm

**CUTTING HEIGHT** 

50mm to 152mm

LIFT & HEIGHT ADJUSTMENT

Foot - assist manual lift with dial height adjustment

REAR TYRES / FRONT TYRES

26x12-12 Reaper / 15x6-6 Smooth

**FUEL** 

49.21L

MOWER SPEED

Up to 20.92km/h

